

**Notice of Allowability**

Application No.

10/509,019

Examiner

Navin Natnithithadha

Applicant(s)

KUBO, TAKESHI

Art Unit

3736

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 03 November 2005.
2. ☒ The allowed claim(s) is/are 1 and 4-14.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some\* c) ☐ None of the:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☒ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

- |                                                                                                                     |                                                                                        |
|---------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892)                                                    | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)            |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                | 6. <input type="checkbox"/> Interview Summary (PTO-413),<br>Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),<br>Paper No./Mail Date _____ | 7. <input type="checkbox"/> Examiner's Amendment/Comment                               |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit<br>of Biological Material          | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance   |
|                                                                                                                     | 9. <input type="checkbox"/> Other _____.                                               |

### REASONS FOR ALLOWANCE

1. Claims 1 and 4-13 have been amended. Claims 2 and 3 have been cancelled. Claim 14 has been added. Claims 1 and 4-14 are pending.
2. The objections to Specification are WITHDRAWN in view of the Amendment.
3. The objections to claim 1, 2, 5-8, and 13 are WITHDRAWN in view of the Amendment.
4. The 35 U.S.C. 112, second paragraph, rejections to claim 8 is WITHDRAWN in view of the Amendment.
5. Claims 1 and 4-13 are allowed.
6. Applicant's arguments, see Remarks, page 7, filed 03 November 2005, with respect to claim 3 have been fully considered and are persuasive. The 35 U.S.C. 103(a) of claims 3, 5/3, 6/3, 7/3, 9/3, 10/3, and 12/3 and the 35 U.S.C. 102(e) of claims 1, 2, 5/2, 6/2, 7/2, and 13 have been withdrawn in view of the Amendment.
7. The following is an examiner's statement of reasons for allowance:  
Independent Claims 1 and 13: The prior art of record does not teach an electronic blood pressure monitor or method of measuring blood pressure comprising using a waveform distortion corrector to correct a waveform parameter (i.e. pulse wave average value  $A_{av}$ ), indicative of a feature (PV relationship or an arterial elasticity) of a detected pulse waveform (signal from the pulse wave detector), to cancel an error introduced by a distortion (the error or variation caused by sympathetic and parasympathetic nervous systems) of a detected pulse wave relative to the intra-arterial waveform into systolic

Art Unit: 3736

blood pressure calculated. Support for this subject matter is found on pages 10, 15 and 16 of the Specification.


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


Art Unit: 3736

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Navin Natnithithadha whose telephone number is (571) 272-4732. The examiner can normally be reached on Monday-Friday, 8:00-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Max Hindenburg can be reached on (571) 272-4726. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
Navin Natnithithadha  
Patent Examiner  
GAU 3736  
14 November 2005

  
ROBERT L. NASSER  
PRIMARY EXAMINER